The BIOS Companion

The book that should come with your motherboard!

Bonus CD Also Includes:

- The Hard Disk Database
- Communications and Networking
- The Bios Companion
- Expansion Cards



Phil CROUCHER

Table of Contents

THE BIOS 1

How old is my BIOS? 2

AMI ID Strings 3
- ID String Line 1 3
- ID String Line 2 3
- ID String Line 3 4

Award ID Strings 4

Where Can I Get A New One? 5
- Flash BIOS Upgrades 6
  - DMI 6

Facilities Provided 7
- The Power On Self Test 7
- The Bootstrap Loader 7
- CMOS settings 7
- Utilities 8

Hardware Performance 8
- System Timing 9

The Year 2000 (Y2K) problem 9

THE MOTHERBOARD 13

Bits and Bytes 14

The Central Processor 14
The 80286 15
The 80386 16
The 80386SX 17
The 80486 18
The 80486SX 18
Clock Doubling 18
The Pentium 19
Pentium Reference Table 20
Pentium Markings 20
The Pentium Pro 21
Pentium Pro Reference Table 21
Cyrix Instead 21
Cyrix Voltages 22
AMD 22
MMX 22
AGP 23
Summing up 23

MEMORY 25

Static RAM 25

Dynamic RAM 26

Wait states 29

Shadow RAM 33

Random Access Memory 34
Base (or conventional) memory 34
Upper Memory 36
Extended Memory 37
High memory 38
Gate A20 39
XMS 39
Expanded Memory 39

Virtual Memory 41

Shared Memory 41

BUS TYPES 43

ISA 43

EISA 44

Micro Channel Architecture 44

Local Bus 44

PCMCIA 46

USB 48

FireWire 49

EXPANSION CARDS 51

Direct Memory Access (DMA) 51

Base Memory Address 54

Base I/O Address 55

Interrupt Setting 57

PERFORMANCE 59

OPEN SESAME 61

STANDARD CMOS 63

Date and Time 63
Daylight Saving 63
Hard Disk (C and D). 63
Primary Master/Primary Slave, etc. 67
Floppy Disks 67
Keyboard Installed 67
Video Display 68
Halt on 68
Floppy 3 Mode Support 68

ADVANCED CMOS 69

Typematic Rate Programming 69
Above 1 Mb Memory test 69
Memory Priming 69
Memory Test Tick Sound 70
Memory Parity Error Check 70
Hit <Del> Message Display 70
Hard Disk Type 47 Data Area 71
Scratch RAM Option 71
Wait For <F1> If Any Error 71

System Boot Up <Num Lock> 71
Boot Up NumLock Status 71
Numeric co-processor 71
Weitek Processor 71
Floppy Drive Seek At Boot 72
Boot Up Floppy Seek 72
System Boot Up Sequence 72
Boot Up Sequence 72
Boot Sequence 73
Permit Boot from... 73
Drive C: Assignment 73
HDD Sequence SCSI/IDE First 73
Quick Power On Self Test 73
Swap Floppy Drive 73
Floppy Disk Access Control 73
System Boot Up CPU Speed 73
Cold Boot Delay 73
System Warmup Delay 74
External Cache Memory 74
Internal Cache Memory 74
Fast Gate A20 Option 74
Turbo Switch Function 75
Gate A20 Emulation 75
Gateway A20 Option 76
Fast Reset Emulation 76
Fast Reset Latency 76
Keyboard Emulation 76
Video ROM Shadow C000, 32K 76
Video BIOS Shadow 77
Adapter ROM Shadow C800, 16K 77
System ROM Shadow 77
C8000-CFFFF Shadow/D0000-DFFFF Shadow 77
C8000-CFFFF Shadow/E0000-EFFFF Shadow 78
Boot E000 Adapters 78
Password Checking Option 78
Security Option 80
Supervisor/User Password 80
Network Password Checking 80
Boot Sector Virus Protection 81
Virus Warning 81

ADVANCED CHIPSET **83**

Automatic configuration 84
Refresh 84
Hidden Refresh 85
Hidden Refresh Control 85
DRAM Refresh Mode 85
AT Style Refresh 85
Concurrent Refresh 85

Decoupled Refresh Option	85
Burst Refresh	86
Refresh When CPU Hold	86
DRAM Burst of 4 Refresh	86
Fast DRAM Refresh	86
Divide for Refresh	86
Hi-speed Refresh	86
Slow Refresh	87
Staggered Refresh	87
Slow Memory Refresh Divider	87
DRAM Refresh Period	87
Refresh Value	87
Refresh RAS active time	87
Refresh RAS# Assertion	88
DRAM RAS Only Refresh	88
DRAM Refresh Queue	88
DRAM Refresh Method	88
Data Bus	88
AT Cycle Wait State	88
Extra AT Cycle Wait State	89
16-bit Memory, I/O Wait State	89
8-bit Memory, I/O Wait State	89
Command Delay	89
16-bit I/O Recovery Time	89
8-bit I/O Recovery Time	89
ISA I/O Recovery	90
16 Bit ISA I/O Command	90
16 Bit ISA Mem Command	90
AT Bus Clock Source	90
ATCLK Stretch	90
Bus Clock Selection	90
ISA Bus Speed	90
Bus Mode	90
Fast AT Cycle	91
ISA IRQ	91
Master Mode Byte Swap	91
DMA clock source	91
DMA Wait States	91
DMA Command Width	91
MEMR# Signal	91
MEMW# Signal	91
DMA Address/Data Hold Time	92
I/O Recovery Time Delay	92
I/O Recovery Select	92
AT Bus Precharge Wait State	92
I/O Cmd Recovery Control	92
Single ALE Enable	92
E0000 ROM belongs to AT BUS	93
Internal MUX Clock Source	93
Fast Decode Enable	93

Fast CPU Reset 93
Extended I/O Decode 93
Local Bus Ready Delay 1 Wait 93
Local Bus Ready 94
Local Bus Latch Timing 94
Latch Local Bus 94
ADS Delay 94
Fast Programmed I/O Mode 94
IDE Multi Block Mode 94
IDE Block Mode Transfer 95
Multi-Sector Transfers 96
IDE Multiple Sector Mode 96
Multiple Sector Setting 96
IDE (HDD) Block Mode 96
IDE Primary Master PIO 96
IDE DMA Transfer Mode 96
Channel 0 DMA Type F 97
Channel 1 DMA Type F 97
ISA IRQ 9,10,11 97
Onboard CMD IDE Mode 3 97
IDE Translation Mode 97
IDE LBA Translations 98
LBA Mode Control 98
Large Disk DOS Compatibility 98
IDE 32-bit Transfer 98
Enhanced ISA Timing 98
Back To Back I/O Delay 98
DMA FLOW THRU Mode 98
Extended DMA Registers 99
Hard Disk Pre-Delay 99
Initialisation Timeout 99
Fast Programmed I/O Modes 99
DMA Channel Select 99
Data Transfer 100
DMA Frequency Select 100
Hold PD Bus 100
Cacheing 100
Cache RAM (SRAM) Types 101
Pipeline Cache Timing 101
F000 Shadow Cacheable 101
Fast Cache Read/Write 101
Flush 486 cache every cycle 101
Async SRAM Leadoff Time 101
Sync SRAM Leadoff Time 101
Async SRAM Burst Time 102
SRAM WriteTiming 102
Cache Read Hit Burst 102
Cache Burst Read Cycle Time 103
SRAM Read Timing 103
Burst SRAM Burst Cycle 103

Cache Mapping	103
Data Pipeline	103
Cache Wait State	103
Cache Read Burst Mode	103
Cache Write Burst Mode	103
Cache Read Cycle	104
Cache Read Wait State	104
Cache Write (Hit) Wait State	104
CPU Cycle Cache Hit WS.	104
Fast Cache Read Hit	104
Fast Cache Write Hit	104
Cache Tag Hit Wait States	104
Cache Scheme	104
Internal Cache WB/WT	105
External Cache WB/WT	105
Cache Write Back	105
L2 Cache Write Policy	105
L1 Cache Write Policy	105
L1 Cache Update Mode	105
L2 Cache Enable	105
L2 Cache Zero Wait State	105
L2 Cache Cacheable Size	105
Linear Mode SRAM Support	105
Cache Write Cycle	105
Posted Write Enable	106
Posted I/O Write	106
Tag Ram Includes Dirty	106
Alt Bit Tag RAM	106
Tag Option	107
Non-cacheable Block-1 Size	107
Non-cacheable Block-1 Base	107
Non-cacheable Block-2 Size	108
Non-cacheable Block-2 Base	108
Memory above 16 Mb Cacheable	108
Cacheable RAM Address Range	108
XXXX Memory Cacheable	108
C000 Shadow Cacheable	108
Video BIOS Area cacheable	108
Shadow RAM cacheable	109
SRAM Speed Option	109
SRAM Burst R/W Cycle	109
Cache Early Rising	109
VESA L2 Cache Write	109
VESA L2 Cache Read	109
1MB Cache Memory	109
L2 Cache Tag Bits	109
L2 (WB) Tag Bit Length	110
SRAM Type	110
SYNC SRAM Support	110
Tag/Dirty Implement	110

Dirty pin selection	110
Shortened 1/2 CLK2 of L2 cache	110
Cache Memory Data Buffer	110
Memory	110
Add Extra Wait for RAS#	111
Add Extra Wait for CAS#	111
DRAM (Read/Write) Wait States	111
Memory Read Wait State	112
Memory Write Wait State	112
DRAM Burst Write Mode	112
DRAM Read Burst Timing	113
DRAM Read Burst (B/E/P)	113
DRAM Write Burst (B/E/P)	113
DRAM Read /FPM	113
FP Mode DRAM Read WS	113
DRAM Write Burst Timing	113
DRAM Speed	113
DRAM Timing Option	114
DRAM Timing	114
DRAM Post Write	114
Fast DRAM	114
DRAM Last Write to CAS#	114
DRAM Write Page Mode	114
DRAM Code Read Page Mode	115
Page Code Read	115
DRAM RAS# Precharge Time	115
FP DRAM CAS Prec. Timing	115
FP DRAM RAS Prec. Timing	115
DRAM CAS# Hold Time	115
CAS Address Hold Time	115
Read CAS# Pulse Width	115
Write CAS# Pulse Width	115
EDO CAS Pulse Width	115
EDO CAS Precharge Time	116
EDO RAS Precharge Time	116
EDO MDLE Timing	116
EDO BRDY# Timing	116
EDO RAMW# Power Setting	116
Fast EDO Path Select	116
DRAM CAS Timing Delay	116
DRAM RAS# Active	116
DRAM R/W Burst Timing	116
RAS Precharge Time	117
RAS Precharge In CLKS	117
CAS Precharge In CLKS	117
CAS# width to PCI master write	117
RAS Active Time	117
Row Address Hold In CLKS	118
RAS Pulse Width In CLKS	118
CAS Read Width In CLKS	118

CAS Write Width In CLKS	118
Late RAS Mode	118
RAS Timeout Feature	118
RAS to CAS delay time	118
RAS(#) To CAS(#) Delay	118
DRAM write push to CAS delay	119
CAS Before RAS	119
DRAM Write CAS Pulse Width	119
DRAM Head Off Timing	119
Turbo Read Leadoff	119
CAS Width in Read Cycle	119
Read-Around-Write	119
OMC Read Around Write	119
F000 UMB User Info	120
Interleave Mode	120
Fast Page Mode DRAM	120
Pipelined CAS	120
*00 Write Protect	120
Parity Checking Method	121
F/E Segment Shadow RAM	121
Disable Shadow Memory Base	121
Disable Shadow Memory Size	121
Base Memory Size	121
Memory Remapping (or Relocation/Rollover)	121
384 KB Memory Relocation	122
256 KB Remap Function	122
DRAM Relocate (2, 4 & 8 M)	122
Memory Reporting	122
Extended Memory Boundary	122
Global EMS Memory	122
Shared Memory Size of VGA	122
Shared Memory Enable	122
RAM Wait State	122
Cycle Check Point	123
Special DRAM WR Mode	123
MA Timing Setting	123
MA Additional Wait State	123
MA Drive Capacity	123
DRAM R/W Leadoff Timing	123
DRAM Leadoff Timing	124
DRAM Fast Leadoff	124
Fast EDO Leadoff	124
Speculative Leadoff	124
SDRAM Speculative Read	124
SDRAM (CAS Lat/RAS-to-CAS)	124
Turn-Around Insertion	124
DRAM ECC/PARITY Select	125
Single Bit Error Report	125
ECC Checking/Generation	125
Memory Parity/ECC Check	125

Memory Parity SERR# (NMI)	125
EDO Read Wait State	125
OMC Mem Address Permuting	125
OMC DRAM Page Mode	125
Fast Strings	126
Fast MA to RAS# Delay	126
DRAM Quick Read Mode	126
386 DRAM Quick Write Mode	126
DRAM Page Idle Timer	126
DRAM Enhanced Paging	126
Miscellaneous	**126**
CPU Low Speed Clock	126
Co-processor Ready# Delay	126
Co-processor Wait States	126
Check ELBA# Pin	127
C000 32K Early Shadow	127
Mouse Support Option	127
IRQ 12 used by ISA or PS/2 Mouse	127
PS/2 Mouse Function Control	127
Appian Controller	127
CPU Address Pipelining	127
Keyboard Reset Control	127
Keyboard Clock Select	127
Novell Keyboard Management	128
Middle BIOS	128
Delay Internal ADSJ Feature	128
Synch ADS	128
Internal ADS Delay	128
NMI Handling	128
Power-On Delay	128
Software I/O Delay	129
Sampling Activity Time	129
GAT Mode	129
SIO GAT Mode	129
Chipset NA# Asserted	129
LOCAL ready syn mode	129
LGNT# Synchronous to LCLK	129
Cyrix A20M Pin	129
Cyrix Pin Enabled	130
Cyrix LSSR bit	130
Chipset Special Features	130
Polling Clock Setting	130
Host Bus Slave Device	130
Host Bus LDEV	130
Assert LDEV0# for VL	130
Host Bus LRDY	131
Memory Hole At 512-640K	131
LBD# Sample Point	131
486 Streaming	131

CHRDY for ISA Master 131
Set Mouse Lock 131
NA (NAD) Disable for External Cache 131
ATA-Disc 131
Disconnect Selection 131
P6 Microcode Updated 132
ChipAwayVirus 132
OS Select For DRAM >64MB 132
Verifying DMI Status 132
POST Testing 132
MPS 1.1 Mode 132
BIOS Update 132
In Order Queue Depth 132
Large Disk Access Mode 132
Assign IRQ for VGA 132

POWER MANAGEMENT 133
Smart Battery System 134
PM Control by APM 134
IDE Standby Power Down Mode 135
Standby Mode Control 135
IDE Spindown 135
Doze Timer/System Doze 135
Power-down mode timers 135
Standby Timer 135
Video Off Method 136
Green Timer 136
Suspend Timer 136
Suspend Mode Switch 136
Auto Keyboard Lockout 136
Monitor Power/Display Power Down 136
CPU Clock (System Slow Down) 136
Individual IRQ Wake Up Events (System IRQ Monitor Events) 137
Event Monitoring 137
IRQ 1(-15) Monitor 137
DRQ 0 (-7) Monitor 137
System Events I/O Port Settings 137
Keyboard IO Port Monitor 137
Floppy IO Port Monitor 137
Hard Disk IO Port Monitor 137
Video Port IO Monitor 137
Video Memory Monitor 137
VGA Adapter Type 138
Low CPU Clock Speed 138
APM BIOS Data Area 138
Power Management Control 138
Power Management RAM Select 138
O.S 138
Factory Test Mode 138

Device Power Management 138
System Power Management 139
System Monitor Events 139
DMA Request 139
NON-SMI CPU Support 139
Inactive Mode Control 139
Video Off Option 140

PLUG AND PLAY/PCI 141

PCI Slot Configuration 142
Resources Controlled By 143
Force Updating ESCD 143
Latency Timer (PCI Clocks) 143
PCI Latency Timer 143
Reset Configuration Data 143
Using IRQ 143
Slot PIRQ 143
PCI Slot x INTx 144
Slot x INT# Map To 144
Slot X Using INT# 144
Edge/Level Select 144
PCI Device, Slot 1/2/3 144
Enable Device 144
Xth Available IRQ 144
1st-6th Available IRQ 144
PCI IRQ Activated by 145
IRQ Assigned To 145
DMA Assigned To 145
Configuration Mode 145
PCI IDE Prefetch Buffers 146
PCI IDE 2nd Channel 146
PCI Slot IDE 2nd Channel 146
PCI IDE IRQ Map to 146
PCI-Auto 147
PCI-Slot X 147
Primary IDE INT#, Secondary IDE INT# 147
PCI Bus Parking 147
IDE Buffer for DOS & Win 147
IDE Master (Slave) PIO Mode 147
Host Clock/PCI Clock 147
HCLK PCICLK 148
PCI-ISA BCLK Divider 148
ISA Bus Clock Frequency 148
PCI Write-byte-Merge 148
CPU-to-PCI Read Buffer 148
PCI-to-CPU Write Buffer 148
PCI Write Buffer 148
CPU-to-PCI Read-Line 148

CPU-to-PCI Read-Burst	149
Byte Merging	149
Byte Merge Support	149
CPU-PCI Byte Merge	149
PCI to DRAM Buffer	149
Latency for CPU to PCI write	149
PCI Cycle Cache Hit WS	149
Use Default Latency Timer Value	149
Latency Timer Value	150
Latency from ADS# status	150
PCI Master Latency	150
Max burstable range	150
CPU to PCI burst memory write	150
CPU to PCI post memory write	150
CPU to PCI Write Buffer	151
PCI to ISA Write Buffer	151
DMA Line Buffer	151
ISA Master Line Buffer	151
SIO Master Line Buffer	151
CPU/PCI Post Write Delay	151
SIO PCI Post Write Buffer	151
Post Write CAS Active	151
PCI master accesses shadow RAM	151
Enable Master	152
AT bus clock frequency	152
Base I/O Address	152
Base Memory Address	152
Parity	152
ISA Linear Frame Buffer	152
Residence of VGA Card	152
ISA LFB Size	152
ISA LFB Base Address	152
ISA VGA Frame Buffer Size	153
Memory Map Hole; Memory Map Hole Start/End Address	153
Memory Hole Size	153
Memory Hole Start Address	153
Memory Hole at 15M-16M	153
Local Memory 15-16M	153
15-16M Memory Location	153
Multimedia Mode	154
Video Palette Snoop	154
PCI/VGA Palette Snoop	154
Snoop Filter	154
PCI VGA Buffering	155
E8000 32K Accessible	155
P5 Piped Address	155
PCI Arbiter Mode	155
Stop CPU When Flush Assert	155
Stop CPU when PC Flush	155
Stop CPU at PCI Master	155

Preempt PCI Master Option	155
I/O Cycle Recovery	156
I/O Recovery Period	156
Action When W_Buffer Full	156
Fast Back-to-Back	156
CPU Pipelined Function	156
Primary Frame Buffer	156
M1445RDYJ to CPURDYJ	156
VESA Master Cycle ADSJ	156
LDEVJ Check Point Delay	156
CPU Dynamic-Fast-Cycle	157
CPU Memory sample point	157
LDEV# Check point	157
Local Memory Detect Point	157
Local memory check point	157
FRAMEJ generation	158
PCI to CPU Write Pending	158
Delay for SCSI/HDD (Secs)	158
Master IOCHRDY	158
Busmaster IDE on PCI	158
VGA Type	158
PCI Mstr Timing Mode	158
PCI Arbit. Rotate Priority	158
I/O Cycle Post-Write	159
PCI Post-Write Fast	159
CPU Mstr Post-WR Buffer	159
PCI Mstr Post-WR Buffer	159
CPU Mstr Post-WR Burst Mode	159
PCI Mstr Burst Mode	159
CPU Mstr Fast Interface	159
PCI Mstr Fast Interface	159
CAS Delay in Posted-WR	159
CPU Mstr DEVSEL# Time-out	159
PCI Mstr DEVSEL# Time-out	160
IRQ Line	160
Fast Back-to-Back Cycle	160
State Machines	160
On Board PCI/SCSI BIOS	161
PCI I/O Start Address	161
PCI Memory Start Address	161
VGA 128k Range Attribute	161
CPU-To-PCI Write Posting	161
OPB P6 to PCI Write Posting	161
OPB PCI to P6 Write Posting	161
CPU-To-PCI IDE Posting	161
CPU-PCI Burst Memory Write	161
CPU-PCI Post Memory Write	162
CPU Read Multiple Prefetch	162
CPU Line Read Multiple	162
OPB P6 Line Read	162

CPU Line Read Prefetch	162
OPB Line Read Prefetch	162
CPU Line Read	162
CPU Burst Write Assembly	162
OPB Burst Write Assembly	163
VGA Performance Mode	163
Snoop Ahead	163
DMA Line Buffer Mode	163
Master Arbitration Protocol	163
Host - to - PCI Wait State	163
PCI Parity Check	163
PCI Memory Burst Write	163
PCI Clock Frequency	164
8 Bit I/O Recovery Time	164
16 Bit I/O Recovery Time	164
I/O Recovery Time	164
IO Recovery (BCLK)	164
PCI Concurrency	164
Peer Concurrency	165
PCI Streaming	165
PCI Bursting	165
PCI (IDE) Bursting	165
PCI Burst Write Combine	165
PCI-To-DRAM Pipeline	166
Burst Copy-Back Option	166
PCI Preempt Timer	166
IBC DEVSEL# Decoding	166
Arbiter timer timeout (PC CLK) 2 x 32	166
Keyboard Controller Clock	166
CPU Pipeline Function	167
PCI Dynamic Decoding	167
Master Retry Timer	167
PCI Pre-Snoop	167
CPU/PCI Write Phase	167
CPU to PCI POST/BURST	167
PCI CLK	167
IRQ 15 Routing Selection	168
Secondary CTRL Drives Present	168
CPU cycle cache hit sam point	168
PCI cycle cache hit sam point	168
Plug and Play OS	168
Passive Release	168
Delayed Transaction	168
Peripheral Setup	**168**
Programming Option	168
On Chip IDE Buffer (DOS/Windows)	168
On Chip IDE Mode	169
IDE 0 Master/Slave Mode, IDE 1 Master/Slave Mode	169
On Chip Local Bus IDE	169

On-Chip Primary PCI IDE 169
On-Chip Secondary PCI IDE 169
PCI IDE Card Present 169
Onboard Floppy Drive 169
Onboard IDE 169
Onboard Serial Port 1 169
Onboard Parallel Port 169
First Serial Port 169
Parallel Port Address 169
IRQ Active State 169
LPT Extended Mode 170
ECP DMA Select 170
Parallel Port EPP Type 170
Parallel Port Mode 170
Floppy DMA Burst Mode 170
Serial Port 1 MIDI 170
USB Controller 171
USB Function 171
Infrared Duplex 171
UART2 Use Infrared 171
NCR SCSI BIOS 171

NASTY NOISES 173
ALR 173
AMI 173
AST 174
Advantage/Bravo/Manhattan/Ascentia/Premium/Premmia 174
Advantage/Bravo 174
Manhattan 175
Ascentia J 175
Ascentia 810/800/Explorer/Bravo 175
BIOS Update Beep Codes 176
AST Enhanced 176
Early Premium 286 176
Early POSTBeep Codes 176
AST Phoenix 177
Award 177
v4.5 177
8086/88 v3.0 177
286/386 v3.03 178
EGA BIOS v1.6 178
Compaq 178
General 178
Contura 400 Family 180
Dell (Phoenix) 180
IBM (AT) 181
MR BIOS 181
Mylex/Eurosoft 183
Packard Bell 183

Phoenix 183
ISA/EISA/MCA BIOS POST/Beep Codes (fatal) 183
ISA/EISA/MCA BIOS POST/Beep Codes (non-fatal) 184
Quadtel 184
Tandon 185

ERROR MESSAGES/CODES 187
AMI 187
Apricot 189
AST 189
Award 190
v4.5x 190
8086/88 v3.0 190
286/386 v 3.03 190
ISA/EISA v4.5 190
Compaq 192
101 - Processor 192
200 - Memory 193
301 - Keyboard 194
401 - Printer 194
501 - Video 195
600 - Diskette Drive 195
1101 - Serial Interface 196
1201 - Modem 197
1700 - Hard Drive 198
1900 - Tape Drive 201
2402 - Video 204
3206 - Audio 204
5240 - Advanced Graphics 1024 Board 204
6000 - Network Interface 205
XXXX -SCSI Interface 205
8601 - Pointing Device 206
Compaq Expanded Memory Manager (CEMM) 206
CEMM Exception Errors 206
Deskpro 286 Memory Error Codes 207
General 207
HP Vectra 207
IBM AT 209
10X, System Board/Setup/90-95 proc board 209
2XX, Memory 209
3XX, Keyboard 209
4XX, Monochrome/Printer Adapter 210
5XX, CGA 210
6XX, Diskette Drive and Adapter 210
7XX, Maths Coprocessor 211
9XX, Parallel Printer Adapter 211
10XX, Parallel Printer Adapter 211
11XX, Async Adapter 211
12XX, Alternate Async Adapter 212

13XX, Game Controller 213
14XX, Graphics Printer 213
15XX, SDLC Adapter 213
16XX, Display Station Emulation 214
17XX, Fixed Disk Drive and Adapter 214
18XX, Expansion Unit Errors 214
20XX, Binary Synchronous Communications Adapter 215
21XX, Alternate Binary Synchronous Communications Adapter 216
22XX, Cluster Adapter Errors 216
23XX, Plasma Monitor Adapter 216
24XX, EGA Adapter 217
26XX, PC/370 217
27XX, PC/3277 217
28XX, 3278/79 Emulation Adapter 217
29XX, Colour Printer 217
30XX, LAN Network 217
31XX, Alternate LAN Network 217
32XX, 3270 PC Display Adapter 218
35XX, Enhanced Display Station Adapter 218
36XX, GPIB Adapter 218
38XX, Data Acquisition Adapter 219
39XX, Professional Graphics Adapter 220
44XX, 3270/G/GX Display 221
45XX, IEEE-488 Adapter 221
56XX, Financial Adapter 222
62XX, Store Loop Adapter 222
69XX, SYS 36/PC Driver Card 222
71XX, Voice Communications Adapter 223
73XX, 3.5" Adapter 223
74XX, PS/2 Display Adapter 223
76XX, Personal Page Printer 223
78XX, High Speed Adapter 223
79XX, 3117 Scanner 223
82XX, 4055 Info Window 223
84XX, Speech Adapter errors 227
85XX, Expanded Memory Adapter errors 227
91XX, 3363 Optical Disk Drive errors 227
PARITY errors 228
ROM errors 228
Olivetti 229
M24 Memory Errors 229
Phoenix 229

KNOWN BIOS PROBLEMS 231

General 231
ALR 231
AMI 231
AST 232

Award 232
Compaq 233
DTK 233
IBM 233
MicroFirmware 233
Peak/DM 233
Phoenix 234
Quadtel 234
Tandon 234
Toshiba 234
Wyse 234
Zenith 234

Windows 95 234
Award 234
Can't turn off BIOS virus protection 235
IDE Address Conflict with floppy disk controller 235
Plug and Play functionality misreported 235
System Registry writing 235
Power Management 235
Neptune Chipset 236

POST CODES 237
ALR 237
AMI 237
POST Procedures 238
AMI BIOS 2.2x 239
AMI Old BIOS (AMI Plus BIOS); 08/15/88 - 04/08/90 240
AMI BIOS 04/09/90-02/01/91 241
AMI New BIOS; 02/02/91 - 12/12/91 243
AMI New BIOS; 06/06/92 - 08/08/93 246
AMI WinBIOS; 12/15/93 Onwards 248
AST 251
Early POST Codes 251
Award 252
Award Test Sequence - up to v4.2 252
Award Test Sequence - after v4.2 (386/486) 253
Award (3.00 through 3.03 as of 8/26/87) 254
Award 286 N3.03 Extensions 255
Award 8088/86 BIOS v3.1 255
Award Modular (386) BIOS v3.1 256
Award ISA/EISA BIOS v4.0 258
EISA BIOS 259
Late Award BIOS (4.5-non PnP) 260
Late Award BIOS (4-5 PnP) 262
Unexpected Errors 264
v3.3 264
Chips and Technologies 265
POST Procedures 265

POST Codes	265
Compaq	267
General	267
Overall Power Up Sequence	267
Base RAM Initialisation	267
Base RAM Test	268
DU Initialisation and Test	268
Memory Test	268
80286 Protected Mode	268
8042 and Keyboard	268
System Board Test	268
Diskette Test	269
286 DeskPro	269
386 DeskPro	269
486 DeskPro	269
DTK	270
Post Procedures - Symphony 486 BIOS	270
POST Codes	271
HP Vectra	271
POST Procedures	271
POST Codes	272
IBM	273
POST Procedures	273
AT POST Codes	274
Additional Protected Mode Tests	275
PS/2 (MCA) POST Codes	275
MR BIOS	277
POST Procedures	277
OEM Specific	278
Non-Fatal Errors	278
POST Codes	278
Mylex/Eurosoft 386	279
POST Codes	279
Olivetti PS/2 Compatible	280
POST Codes	280
Packard Bell	281
Phoenix	281
POST Procedures	281
BIOS Plus or v1.0 POST/Beep Codes	282
UMC Chipset PCI	283
PCI	285
Phoenix v3.07	287
Phoenix v4.0	287
Quadtel AT (Phoenix 3.07)	289
v3.07 AT BIOS	289
Zenith	291
Post Procedures	291
POST Codes	291

CHIPSETS 293

BIOS Part Numbers and Chipsets 293
Award 293

Chipset Manufacturers 294
ACC Microelectronics 294
ACER Laboratories Inc (ALI) 294
Austek 295
Chips & Technologies 295
Contaq 296
Elite 296
Faraday (WD) 296
G-2 Inc/Headland 296
Headland 296
Intel 297
Opti 298
Samsung 299
SIS (Silicon Integrated Systems) 299
Suntac 299
Symphony Labs 299
Texas Instruments 300
UMC (United Microelectronics) 300
VIA 300
VLSI 300

FIXED DISK PARAMETER TABLES 301
Acer v1.00 301
ALR FlexCache "Z" 33 MHz 301
ALR FlexCache 25386/dt 302
AMI 302
Amstrad 2286 v1.10/1.11* 302
AST 302
Award 1.10/3.0B 303
Award 3.0*/3.03/3.04 (3.0-41) 303
Award 3.05/3.06*/3.06C**/3.10/3.12/3.13/3.14/3.16*/3.20/3.21/3.22/4.00*** 303
Award 4.5 304
Commodore 304
Compaq DeskPro 386/25/33(27)/20e(37) 304
Compaq 386/20 304
Compaq Portable III 305
Compaq SLT/286 305
DTK 306
Epson 306
Ferranti 306
Goldstar 306
Goupil 307
IBM 307

PS/2 307
MR BIOS 307
Nimbus PC386 4.21a 308
Nimbus VX386 v155a 308
Olivetti v3.27 308
Olivetti M380c 308
Philips 2.24 309
Phoenix 1.1 16.H0 309
Phoenix 1.64 309
Phoenix 3.00 309
Phoenix 3.10 01 309
Phoenix 3.10 08A 310
Phoenix 3.4 310
Phoenix 3.40 310
Phoenix 3.63T 310
Phoenix 3.06/3.07 311
Phoenix 3.10 312
Phoenix 1.00 ABIOS 312
Samsung 312
Sperry PC/IT 313
Tandon 001-2.24 000-10 313
Tandon 3.61 313
Toshiba 1.0 313
Victor AT 3.01 313
Wang 314
Zenith 314

MEMORY CHIPS 315

SIMMs 315
30 pin 316
72 pin 316

DIMMS 317

Video 317

Manufacturers 318
AEP 318
Array Technology 318
Cypress Multichip 318
Dense-Pac 318
EDI 318
Fujitsu 318
SIMM 318
DRAM 319
GoldStar 319
Harris 319
Hitachi 319

Hyundai 319
IBM 319
Inova 319
Logic Devices 319
Micron 319
Mitsubishi 319
Mosaic 320
Mosel 320
Mostek 320
Motorola 320
National 320
NEC 320
OKI 320
Samsung 320
Sharp 320
Siemens 321
Texas Instruments 321
Toshiba 321
  SIMMs 321
  DRAM 321
Valtronic 321
Vitarel 321
White Technology 321
Zyrel 322

SRAM 322
Alliance 322
AT&T 322
Cypress 322
EDI 322
Fujitsu 322
Hitachi 322
IC Works 323
Inmos 323
Logic 323
Micron 323
Mitsubishi 323
Motorola 323
NEC 323
Paradigm 324
Performance 324
Quality 324
Samsung 324
SGS 324
Sharp 324
Sony 324
Texas Instruments 324
Toshiba 324

USEFUL NUMBERS 325
American Megatrends (AMI) 325
AMI (UK) Ltd 325
Award Software 325
Chips & Technologies 325
Chips & Technologies (UK) 325
DTK 325
Epson UK 325
Epson 325
Eurosoft (UK) Ltd 325
General Software 326
IBM 326
Intel 326
Komputerwerk 326
Micro Firmware 326
Microid Research 326
Opti 326
Phoenix 326
Quadtel 326
Silicon Pacific 326
SystemSoft 326
Unicore 326
Upgrades Etc 326
Xetal Systems 327

INDEX 329

CD-ROM also includes:

The Hard Disk Database

- CMOS and jumper settings on over 6000 drives from over 260 manufacturers. The largest database of its kind!

Communications & Networking

- Learn all the tips and tricks of setting up and supporting a network and Windows.

Expansion Cards

- A handy technical reference guide to jumper settings and pinouts on hundreds of expansion cards.

The Bios Companion

- The complete text

This book is the one that should have come with your motherboard!

It covers the meaning of all the Bios settings you ever questioned.

All BIOS's that allow you to pass the standard CMOS setup are covered up to Pentium class machines, including PCI.

"Two vital books for the computer pros: *The Hard Disk Database* (full text included on bonus CD enclosed) and *The Bios Companion*, both by Phil Croucher, and both exactly what their titles imply. If you work with odd computers, particularly older ones, this book is invaluable. Page after page of technical data all in one place."

—**Jerry Pournelle**, *Byte Magazine*, October 1996

"This book will answer all of your questions."

—**Frank Latchford**, *Personal Computer Club of Toronto*"

"[This book is] useful to anyone who fixes, maintains, or simply wants to understand Intel/Windows computer systems."

—*The Computer Paper*, Canada

"An invaluable resource for anyone looking to optimize and configure their motherboard settings. Highly recommended."

—**Roger Gann**, *Personal Computer World*, UK

"You've completely impressed me with the quality and scope of your guides. Extreme care has obviously gone into their research and preparation."

—**Jeremy Fleming**, from a letter to the author, Essex, UK

TRI-TAM Enterprises, Inc.

Published and distributed by TRI-TAM Enterprises, Inc.

Cover illustration and design by Robert Witkowski © 1997

ISBN 1-872498-12-4 US$59.95/CAN$79.95

55995>

9 781872 498126

USA: $59.95

Canada: $79.95